

Packaging

Preparation

File Structure

The most basic files, such as `index.php`, `error.php`, `templateDetails.xml`, `template_thumbnail.png`, `favicon.ico` should be placed directly in your template folder. The most common is to place images, CSS files, JavaScript files etc in separate folders. Override files must be placed in folders in the folder "html".

```
/{TemplateName}  
  /css  
    ... CSS files ...  
  /html  
    ... Overrides ...  
  /images  
    ... Image files ...  
  /js  
    ... JavaScript files ...  
composer.json  
error.php  
index.php  
templateDetails.xml  
template_thumbnail.png  
favicon.ico
```

Thumbnail Preview Image

A thumbnail preview image named `template_thumbnail` should be included in your template. Image size is 206 pixels in width and 150 pixels high. Recommended file format is PNG.

Packaging

It is possible to install a template manually by copying the files using an SFTP client and modifying the database tables. It is more efficient to create a package file in the form on a [composer.json](#) document that will allow the Installer to do this for you. This package file resides in the top-level of your template's directory and contains a variety of information:

- basic descriptive details about your template (i.e. name), and optionally, a description, copyright and license information.
- the extension type (component, module, plugin, template)

- optionally, a destined install directory

Composer Manifest

This composer.json file just outlines basic information about the template such as the owner, version, etc. for identification by the installer and then tells the installer which files should be copied and installed.

A typical component manifest:

```
{
  "name": "myorg/tpl_example",
  "description": "Example template",
  "license": "MIT",
  "type": "hubzero-template"
}
```

The hub includes some extra code that tells Composer where/how to install extensions, so it's important to use the designated types. Available types are: hubzero-component, hubzero-module, hubzero-plugin, hubzero-template.

XML Manifest (deprecated)

This XML file just lines out basic information about the template such as the owner, version, etc. for identification by the installer and then provides optional parameters which may be set in the Template Manager and accessed from within the module's logic to fine tune its behavior. Additionally, this file tells the installer which files should be copied and installed.

A typical template manifest:

```
<?xml version="1.0" encoding="utf-8"?>
<extension version="1.5" type="template">
  <name>mynewtemplate</name>
  <creationDate>2008-05-01</creationDate>
  <author>John Doe</author>
  <authorEmail>john@example.com</authorEmail>
  <authorUrl>http://www.example.com</authorUrl>
  <copyright>John Doe 2008</copyright>
  <license>GNU/GPL</license>
  <version>1.0.2</version>
```

```
<description>My New Template</description>
<files>
  <filename>index.php</filename>
  <filename>component.php</filename>
  <filename>templateDetails.xml</filename>
  <filename>template_thumbnail.png</filename>
  <filename>images/background.png</filename>
  <filename>css/style.css</filename>
</files>
<positions>
  <position>breadcrumb</position>
  <position>left</position>
  <position>right</position>
  <position>top</position>
  <position>user1</position>
  <position>user2</position>
  <position>user3</position>
  <position>user4</position>
  <position>footer</position>
</positions>
</extension>
```

Let's go through some of the most important tags:

EXTENSION

The install tag has several key attributes. The type must be "template".

NAME

You can name the templates in any way you wish.

FILES

The files tag includes all of the files that will be installed with the template.

POSITIONS

The module positions used in the template.

The one noticeable difference between this template manifest and the typical manifest of a module or component is the lack of config. While templates may have their own params for further configuration via the administrative back-end, they aren't as commonly found as in other extension manifests. Most HUBzero templates do not include them.