## Installation

#### What is HUBzero?

HUBzero is a platform used to create dynamic web sites for scientific research and educational activities. With HUBzero, you can easily publish your research software and related educational materials on the web. Powerful middleware serves up interactive simulation and modeling tools via your web browser. These tools can connect you with rendering farms and powerful Grid computing resources.

## **Minimum System Requirements**

HUBzero installations require one or more dedicated physical hosts running Debian GNU/Linux 6.0. In particular there are version specific requirements on mysql (5.1), python (2.6) and php (5.3).

Other debian based distributions might theoretically work with some modification, although they would be totally unsupported.

A typical starter HUBzero installation might consist of a single physical server with dual 64-bit quad-core CPUs, 16 Gigabytes of RAM and a terabyte of disk.

It is possible to run HUBzero inside of a virtual machine such as ones created by VMware and VirtualBox. While fully functional there will be significant performance and resource limitations in such an environment. For demonstration or development purposes we often create VM images with less than a gigabyte of RAM and 5 gigabytes of disk. While fully functional, these virtual machines would only be suitable for a single user doing development or testing.

# **Target Audience**

This document and the installation and maintenance of a HUBzero system has a target audience of **experienced** Linux administrators (preferably experienced with Debian GNU/Linux).

### **How To Get Source Code**

This is optional

You'll find most of the source code within the web root of a working hub. But you can get source code for the middleware and all other parts of HUBzero by retrieving the source code packages using the debian package manager. To do so, first, update your package mechanism to pull packages from our HUBzero repository (codename 'manny' for this release). Edit your

/etc/apt/sources.list and add the following line::

deb-src http://packages.hubzero.org/deb shira main contrib non-free

Then, install the hubzero archive key so that your system can verify packages from the hubzero archive. Run the following command as root:

```
wget http://packages.hubzero.org/deb/hubzero-signing-
key.asc -q -0 - | apt-key add -
```

Once the public key for http://packages.hubzero.org has been installed, you can request the hubzero source code for each package:

```
apt-get source packageName
```

where packageName is the desired package from the table below.

# **Package List**

The following packages (subject to change): are available from the HUBzero repository for this release. Not all are necessarily used for any given installation.

Package Name	Purpose
hubzero-app	Command line tool to manage
	installation/publishing of HUBzero apps
hubzero-app-workspace	HUBzero App providing a lightweigth Linux
	desktop, for app/tool development
hubzero-chuse	HUBzero graphical front end to the user
	environment manager 'use'
hubzero-cli	HUBzero command line interface tools
hubzero-cms-1.2	The HUBzero Content Management System
	(based on Joomla! framework)
hubzero-expire-sessions	Expires unused app/tool sessions
hubzero-filexfer	Transfer files between App Sessions and user's
	desktop
hubzero-filexfer-xlate	Support daemon for the filexfer program

Package Name hubzero-firewall hubzero-forge hubzero-icewm

hubzero-icewm-captive

hubzero-icewm-themes

hubzero-invokeapp hubzero-mailgateway hubzero-metrics hubzero-mw-client hubzero-mw-service

hubzero-mw-session hubzero-mysql hubzero-openIdap hubzero-openvz hubzero-policyrcd hubzero-python hubzero-rappture

hubzero-rappture-session hubzero-ratpoison-captive

hubzero-submit-client hubzero-submit-common hubzero-submit-condor hubzero-submit-distributor hubzero-submit-monitors hubzero-submit-pegasus hubzero-submit-server hubzero-subversion hubzero-telequotad hubzero-textifier hubzero-texvo

hubzero-trac

hubzero-trac-mysqlauthz

hubzero-twm-captive

hubzero-use

hubzero-use-apps

Purpose

HUBzero firewall that protects app/tool sessions Creates project areas for tool development Linux ICE window manager configuration, used in workspaces

Linux ICE window manager specially crafted to

support tools in a sessions

The HUBzero Linux ICE window manager

theme, used in workspaces

HUBzero application invoke script

**HUBzero** mail gateway

HUBzero metrics support package

HUBzero middleware - client

HUBzero middleware - execution host session

manager

HUBzero middleware - per session tools
MySQL configuration package for HUBzero
OpenLDAP configuration package for HUBzero
OpenVZ configuration package for HUBzero

HUBzero policy-rc.d for invoke-rc.d

HUBzero python API module

The Rapid APPlication infrastrucTURE toolkit

for building scientific tools

Session support packages for Rappture Linux window manager, used in app/tool

sessions

HUBzero submit client

HUBzero submit common python library
HUBzero condor build for hubzero-submit
HUBzero middleware submit distributor
HUBzero middleware submit monitors

HUBzero pegasus build for hubzero-submit

HUBzero job submission server

HUBzero Subversion support package

Disk quota monitor HUBzero textifier

Helper utility to generate math fomulas for wiki

markup

HUBzero Trac support package

Plug-in for MySQL user auth in project

development areas

Linux TWM window manager, used in app/tool

sessions

Command for configuring the environment

within a workspace

HUBzero apps environment for 'use'

#### **INSTALLATION**

Package Name hubzero-usermap

hubzero-vncproxy hubzero-vncproxyd hubzero-webdav libapache2-vncproxy

php-oauth php-stem tightvnc-java

vnc4server

Purpose

File permission mapping FUSE filesystem used

by WebDAV

HUBzero VNC proxy helper HUBzero VNC proxyserver

HUBzero WebDAV support package

HUBzero vncproxy module for apache2-mpm-

prefork

OAuth PECL Library for PHP 5 Stemming PECL Library for PHP5

Modified VNC Client that receives app/tool

sessions within a web browser

Modified VNC Server that sends app/tool

sessions to the web browser