

Accessing your home directory

Overview

Accessing your home directory on the HUB is easy with the three methods described in this section. While sFTP is the most common, you will find which method works best for you.

sFTP

Accessing your home directory via sFTP

sFTP, or secure FTP, is a program that uses SSH to transfer files. Unlike standard FTP, it encrypts both commands and data, preventing passwords and sensitive information from being transmitted in the clear over the network. It is functionally similar to FTP, but because it uses a different protocol, you can't use a standard FTP client to talk to an sFTP server, nor can you connect to an FTP server with a client that supports only sFTP.

The following tutorial should help you in using sFTP to connect to and from your HUBzero server(s).

Warning: Most accounts do **not** have SSH/sFTP access initially. Your system administrator must grant your account access before you will be able to connect.

Graphical Clients

Using graphical SFTP clients simplifies file transfers by allowing you to transmit files simply by dragging and dropping icons between windows. When you open the program, you will have to enter the name of the host (e.g., yourhub.org) and your HUB username and password.

Windows Clients

- [WinSCP](#)
- [BitKinex](#)
- [FileZilla](#)
- [PuTTY](#)

Mac OSX Clients

- [Transmit](#)
- [Fetch](#)
- [Cyberduck](#)
- [Flow](#)
- [Fugu](#)

Command-line

You can use command line SFTP from your Unix account, or from your Mac OS X or Unix workstation. To start an SFTP session, at the command prompt, enter:

```
yourmachine:~ you$ sftp username@host
yourmachine:~ you$ username@host password:
```

```
host ~
```

ACCESING YOUR HOME DIRECTORY

Some standard commands for command-line sFTP	Command	Description
	cd	Change the current directory
	chmod	Change the permissions of a file or directory
	chown	Change the owner of a file or directory
	dir (or ls)	List the contents of the current directory
	exit (or quit)	Close the sFTP session and return to the local shell
	get	Copy a file from the remote system to the local system
	help (or ?)	Get help on the sFTP commands
	lcd	Change the local directory
	lls	See the contents of the local directory
	ln	Create a hard link to a file
	ln (or symlink)	Create a symbolic link to a file
	lpwd	Show the local path of the current directory
	lumask	Change the local permissions of a file or directory
	mkdir	Create a new directory
	put	Copy a file from the local system to the remote system
	pwd	Show the remote path of the current directory
	rename	Rename a file or directory
	rm	Delete a file
	rmdir	Remove a directory
	version	Display the sFTP version
	!	In Unix, !pwd drops you to the local shell

WebDAV

Accessing your home directory via WebDAV

WebDAV is the Distributed Authoring and Versioning extension to the standard HTTP/HTTPS web protocol. It allows a client to browse a remote filesystem, usually with a graphical browser that makes it appear that your files are on your desktop. You may access your hub storage using only the secure version of this service (HTTPS). We do not support HTTP. Most modern computer platforms support HTTPS transport for WebDAV with either small adjustments or freely available software.

Linux/Unix

If you use the KDE graphical desktop environment, you can access your hub storage with the Konqueror browser by typing the special URL `webdav://hubname.org/webdav/` into the Location field of the browser. It will prompt you for your hub login and password. Thereafter, you traverse your home directory by clicking on folders and you can drag and drop files to your desktop.

[Cadaver](#) is a text-mode WebDAV browser. It can be used if it is compiled with SSL support. Invoke it with the command `cadaver https://hubname.org/webdav/` and it will prompt you for your hub login and password. You can then use it in a manner similar to FTP.

If you are using Linux, you can use the [davfs](#) kernel module to mount your hub storage area as a local filesystem.

Macintosh

MacOS versions 10.4 and higher support HTTPS transport for WebDAV using the Finder.

1. Select the Go menu in the Finder and choose "Connect to Network Server".
2. Enter the URL `https://hubname.org/webdav/` into the address field.
3. When prompted, enter your Network ID credentials.

You should now be able to drag files and folders between your computer and the site to which you just connected.

Windows 10, 8.1, 8 and 7

Windows 10, 8.1 and 8 use the **WebClient Services** to connect to a WebDAV Servers, by default the WebClient service is disabled, so we need to enable it.

1. From the Start menu, choose Control Panel, then System and Security, then Administrative Tools, and then Services.

2. Scroll down to WebClient, set the service to Automatic, and then click Apply.
3. If the service is not already running, click Start.
4. Click OK to close the Control Panel and close other windows.

Windows 10

To set up a WebDAV connection in Windows 10:

1. From the **Start Menu** go to **File Explorer** and select **This PC** on the left hand pane
2. Select **Computer** from the top ribbon
3. Click on **Map Network Drive**
4. Click **Connect to a Web site that you can use to store your documents and pictures.**
5. Click **Next**
6. Select **Choose another network location** and click **Next**
7. Enter "**https://hubname.org/webdav/**". Replace "hubname.org" with the URL of the destination hub and click **Next**
8. Enter your **password**, and click **Ok**
9. Click **Next**, then **Finish**
10. When prompted, enter your Hub credentials.
11. You should see a new Network Drive under your Computer/This PC. Double click on it to open.

You should now be able to drag files and folders between your computer and the hub via the network drive to which you just connected.

Windows 8.x

To set up a WebDAV connection in Windows 8.x:

1. Using the Search interface in tile mode, locate and select the Computer tile.
2. In the quick menu at the top of the screen, click Map Network Drive.
3. In the "Folder" field, enter a URL that points to the destination hub similar to the following URL "**https://hubname.org/webdav/**" Replace "hubname.org" with the URL of the destination hub.
4. Select the Connect using different credentials box, and then click Finish.
5. When prompted, enter your Hub credentials.
6. You should see a new Network Drive under your Computer/This PC. Double click on it to open.

You should now be able to drag files and folders between your computer and the hub via the network drive to which you just connected.

Windows 7

ACCESING YOUR HOME DIRECTORY

To set up a WebDAV connection in Windows 7.

1. From the Start menu, right-click Computer, and select Map network drive.
2. Enter a URL that points to the destination hub similar to the following URL
"https://hubname.org/webdav/ ". Replace "hubname.org" with the URL of the destination hub. Click finish.
3. When prompted, enter your Hub credentials.
4. You should see a new Network Drive under your Computer/This PC. Double click on it to open.


You should now be able to drag files and folders between your computer and the hub via the network drive to which you just connected.

If you have difficulty dragging and dropping, right-click the file or folder you want to copy, and choose Copy. Then right-click the directory you want to put it in, and choose Paste.

filexfer (in Workspace tool)

Accessing your home directory files via filexfer (in Workspace tool)

Filexfer, short for 'file transfer', is a utility that you can call from within the workspace tool to transfer a file into your home directory from your local machine or download a file from your home directory. Type 'filexfer' in the xterm provided to you when you start the workspace tool. You should now see the filexfer GUI as it appears in the image below.



Click on "Upload" or "Download" for the desired action. Please note, that you must enable pop-ups in your browser to proceed. The following windows that appear allow you to browse or download per your selected action. Note: filexfer is currently limited to uploading one file at a time..