

# Environment Variables

## Environment Variables

A number of environment variables are available in a tool session. A few are discussed here. A full list can be viewed by running the "env" command from a terminal in the workspace tool.

\*Note: tools are invoked by the user's account and permissions set accordingly. A tool can save files to a user's home directory because the tool runs as that user.

### **SESSION="session id"**

This variable stores the session ID or session number that is currently active. It's the ID of the session you are currently using.

### **USER="username"**

This variable stores the current username of the user running the tool.

### **SESSIONDIR=/home/"hub hostname"/"username"/data/sessions/"session id"**

This variable stores the current session directory of the open tool. This session directory is a separate directory created for each new tool session. This is a good place for temporary files generated by your tool.

\*This is the default path for a tool on invoke.

### **RESULTSDIR=/home/"hub hostname"/"username"/data/results/"session id"**

This variable stores the results directory located in the user's home directory. This is a good place to place simulation results for the user to access later. This is where Rappture saves results.

## ENVIRONMENT VARIABLES

---

\*Be mindful of the user's quota limits.

### **PWD="present working directory"**

This variable stores the present working directory.

### **HOME=/home/"hub hostname"/"username"**

This variable stores the path of the user's home directory. This is useful if a tool provided an option to save the user's current work. Please create a directory for the tool to save files here, to prevent cluttering the user's home directory too much. A best practice would be to create a new directory for a tool in the user's data directory. For example, "\$HOME/data/toolname".