

Testing

Overview

There's a lot of information and articles out there about why and how you should be writing your tests. But, in short, it ensures your code does what you want it to and makes sure it continues to even after you or others make modifications.

Not everything is easy to test. But, at the very least, libraries and other shared pieces of code would ideally be covered by unit tests. It takes time, but it's definitely easier to do it as you write code than it is to go back and add all your tests at the end of the project.

In an effort to make testing a little more accessible, HUBzero offers some basic guidance and structure for your testing. We'll step through what's available below.

Location

Your tests will live in a Tests folder within the applicable extension directory. For example, the database library tests can be found at:

```
core/libraries/Hubzero/Database/Tests/...
```

Test naming convention and structure should follow the definitions found in the [PHPUnit documentation](#).

Test Types

There are two primary types of tests, basic and database. Basic tests involve no external resources, whereas database tests require the ability to simulate/mock database calls.

Basic Tests

Basic tests in HUBzero offer no additional functionality or abstraction over the `PHPUnit_Framework_TestCase`. There's therefore really nothing that needs to be covered here that isn't already in the PHPUnit documentation.

Database Tests

To help with writing tests that require a database object, we've worked to provide some shortcuts and best practices. Database tests are tough because they can be slow, and you don't

TESTING

want them to depend a certain database state or mess up another developers database. So, to get around this, we either completely mock the database, or use a reloadable sqlite database.

Let's look at an example of this.

```
/**
 * Test to make sure we can run a basic select statement
 *
 * @return void
 */
public function testBasicFetch()
{
    $dbo    = $this->getMockDriver();
    $query  = new Query($dbo);

    // Try to actually fetch some rows
    $rows  = $query->select('*')
                ->from('users')
                ->whereEquals('id', '1')
                ->fetch();

    // Basically, as long as we don't get false here, we're good
    $this->assertCount(1, $rows, 'Query should have returned one result');
}
```

You'll see above the call to a function named `getMockDriver()`. This method is going to give you back a database object, loading up a sqlite database named `test.sqlite3`, by default. This is a fully functioning database driver.

To make the database driver useful, you'll need at least two files included in your tests directory. They are:

```
Tests/Fixtures/seed.xml
Tests/Fixtures/test.sqlite3
```

The `seed.xml` file will contain all your sample data. This will be automatically loaded in the test framework for each test class (i.e. file). The structure and destination of all database operations will come from the `test.sqlite3` file.

TESTING

The names of those files can also be changed by overwriting the `$fixture` and/or `$seed` properties on your test class.

Scaffolding and Running Tests

To get starting writing new tests, you can use the muse scaffolding command to create a test stub. This will look something like this:

```
me@me.org:~# muse scaffolding create test lib_database --type=database
Creating /var/www/example/core/libraries/Hubzero/database/Tests/ExampleDatabaseTest.php
```

The test scaffolding expects the first argument after `test` to be the extension into which the test should be placed. A `--type` argument can also be given to specify whether or not you're creating a basic or a database test. In this example, given that we're testing the database object, the database test type obviously makes sense.

Running Tests

Once you've created your tests, you'll need to run them. To get started, you can use the muse test command.

```
me@me.org:~# muse test run lib_database
PHPUnit 4.6.2 by Sebastian Bergmann and contributors.

.....

Time: 2.51 seconds, Memory: 17.5Mb

OK (51 tests, 73 assertions)
```

More details on the muse functionality can be found in the [Muse documentation](#).